


## Cabinet dimensions



| A x A     | B     | C   | D   | E     | F     | G     | H      | I     |
|-----------|-------|-----|-----|-------|-------|-------|--------|-------|
| 600 x 600 | > 555 | 310 | 460 | < 282 | < 399 | < 282 | > R210 | < 282 |
| 600 x 600 | > 565 | 310 | 480 | < 265 | < 367 | < 259 | > R320 | < 284 |
| 650 x 650 | > 615 | 360 | 480 | < 315 | < 508 | < 359 |        |       |
| 800 x 800 | > 745 | 390 | 680 | < 235 | < 393 | < 278 |        |       |
| 900 x 900 | > 815 | 440 | 720 | < 322 | < 494 | < 350 | > R250 | < 322 |
| 900 x 900 | > 835 | 440 | 760 | < 335 | < 455 | < 321 | > R322 | < 322 |

Measurements in mm

## Cabinet dimensions

**Widths:** 600 x 600, 650 x 650, 800 x 800, 900 x 900 mm

**Side depth:** min. 490 mm

**Internal height:** 620 mm

**Load capacity:** 27,5 kg per shelf  
(600 x 600 and 650 x 650 mm: 12 kg)

**Shelf variants:** 3/4, 4/4, concave



**Rail:** Rail with wire railing and edge in chrome, RAL 9006 or champagne

**Basic:** with high edge in chrome, RAL 9006, or stainless steel

**Smart:** edge in chrome or RAL 9006 with semirigid polymer railing

## Specification

**Fitting:** RAL 9010  
for base, high and wall units






| A x A     | kg   |
|-----------|------|
| 600 x 600 | 12   |
| 650 x 650 | 12   |
| 800 x 800 | 27,5 |
| 900 x 900 | 27,5 |

07 / 2019




# VS COR® Wheel Pro





| A x A     | kg   |
|-----------|------|
| 600 x 600 | 12   |
| 650 x 650 | 12   |
| 800 x 800 | 27,5 |
| 900 x 900 | 27,5 |

| A x A<br>(mm) | B<br>(mm) | C<br>(mm) | D<br>(mm) | E<br>(mm) | F<br>(mm) | G<br>(mm) | H<br>(mm) | I<br>(mm) |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 600 x 600     | > 555     | 310       | 460       | < 282     | < 399     | < 282     | > R210    | < 282     |
| 600 x 600     | > 565     | 310       | 480       | < 265     | < 367     | < 259     | > R320    | < 284     |
| 650 x 650     | > 615     | 360       | 480       | < 315     | < 508     | < 359     |           |           |
| 800 x 800     | > 745     | 390       | 680       | < 235     | < 393     | < 278     |           |           |
| 900 x 900     | > 815     | 440       | 720       | < 322     | < 494     | < 350     | > R250    | < 322     |
| 900 x 900     | > 835     | 440       | 760       | < 335     | < 455     | < 321     | > R322    | < 322     |



**1**



2

